afterUploadImage

RELEASE 2.2.0 OR ABOVE

This event occurs after an image is uploaded.

Adding Event

Using API

```
var editorId = 'synapEditor';
var editorConfig = {};
var html = '';
var editor = new SynapEditor(editorId, editorConfig, html);


editor.setEventListener('afterUploadImage', function (e) {
});
```

Function

```
var editorId = 'synapEditor';
var editorConfig = {};
var html = '';

function SynapEditorAfterUploadImage(e) {
}

new SynapEditor(editorId, editorConfig, html);
```

When the Editor is initialized

```
var editorId = 'synapEditor';
var editorConfig = {};
var html = '';
var eventListeners = {
    afterUploadImage: function (e) {
    }
};

new SynapEditor(editorId, editorConfig, html, eventListeners);
```

Object Delivered through Functions

In the form of parameter e delivered through functions

e

```
// release 2.2.0
{
        editor: SynapEditor,
        eventType:  'afterUploadImage',
        cancelable: false,
        returnValue: null,
        path: '/upload/path/filename.png', // The upload path.
        elementId: 'se-123456-abcdefg-7890', // HTML Element Id (wapper)
        isBackground: false // Whether the image is a background image.
}
// release 2.2.1 or above
{
        editor: SynapEditor,
        eventType:  'afterUploadImage',
        cancelable: false,
        returnValue: null,
        fileType: 'image', // [2.2.1] File type
        path: '/upload/path/filename.png',
        elementId: 'se-123456-abcdefg-7890',
        isBackground: false
}
// release 2.10.0 or above
{
        editor: SynapEditor,
        eventType:  'afterUploadImage',
        cancelable: false,
        returnValue: null,
        fileType: 'image',
        path: '/upload/path/filename.png',
    responseData: {},   // [2.10.0] complete response data
        elementId: 'se-123456-abcdefg-7890',
        isBackground: false
}
// release 2.15.0 or above
{
        editor: SynapEditor,
        eventType:  'afterUploadImage',
        cancelable: false,
        returnValue: null,
        fileType: 'image',
        path: '/upload/path/filename.png',
    responseData: {},
        elementId: 'se-123456-abcdefg-7890',
        isBackground: false,
    error: undefined    // [2.15.0] Error information when upload fails
}
```

Image upload failed

RELEASE 2.15.0 OR ABOVE

Starting with the 2.15.0 release, the `afterUploadImage` event is also raised when an upload fails.

An Error object is passed to the error property of the object that is passed to the `afterUploadImage` event when upload fails.

Example of removing failed image when upload fails

```
editor.setEventListener('afterUploadImage', function (e) {
    if (e.error && e.error.status === 500) {
        e.editor.execCommand('showDialog', 'alert', 'Image upload failed.');
        var image = e.editor.getAPIModelById(e.elementId);
        image.remove();
    }
});
```