

User Interface Configuration

This chapter teaches you how to configure basic UI in the Editor, such as toolbars and menus.

- [Toolbar Configuration](#)
 - [Configuration Method](#)
 - [Basic Configuration](#)
 - [Using Every Features](#)
 - [Icons and Actions](#)
- [Pull-down Menu Configuration](#)
 - [Pull-down Menu Availability](#)
 - [Menu Layout](#)
 - [Example](#)
- [User Language Configuration](#)
 - [Setting Default Language](#)
 - [Forcing Language Setting](#)
- [Using Color Icon](#)
- [Theme Configuration](#)
 - [Applying the theme](#)
 - [Theme list](#)
 - [default](#)
 - [dark-gray](#)
- [Iframe mode](#)
 - [Synap EditorHologic Rich Text Editor"; var editor = new SynapEditor\('synapEditor', synapEditorConfig, html\);\]\]>](#)
 - [Synap EditorHologic Rich Text Editor"; // editor \(async\) function SynapEditorInitialized\(e\) { var editor = e.editor; editor.openHTML\(html\); } // editor \(sync\) function SynapEditorInitializedSync\(e\) { var editor = e.editor; editor.openHTML\(html\); } new SynapEditor\(editorId, editorConfig\);\]\]>](#)
 - [Synap EditorHologic Rich Text Editor"; var eventListeners = { initialized: function \(e\) { var editor = e.editor; editor.openHTML\(html\); }, initializedSync: function \(e\) { var editor = e.editor; editor.openHTML\(html\); } }; new SynapEditor\(editorId, editorConfig, html, eventListeners\);\]\]>](#)
 - [Document mode](#)
 - [Synap EditorHologic Rich Text Editor"; var editor = new SynapEditor\('synapEditor', synapEditorConfig, html\);\]\]>](#)
 - [Synap EditorHologic Rich Text Editor"; // editor \(async\) function SynapEditorInitialized\(e\) { var editor = e.editor; editor.openHTML\(html\); } // editor \(sync\) function SynapEditorInitializedSync\(e\) { var editor = e.editor; editor.openHTML\(html\); } new SynapEditor\(editorId, editorConfig\);\]\]>](#)
 - [Synap EditorHologic Rich Text Editor"; var eventListeners = { initialized: function \(e\) { var editor = e.editor; editor.openHTML\(html\); }, initializedSync: function \(e\) { var editor = e.editor; editor.openHTML\(html\); } }; new SynapEditor\(editorId, editorConfig, html, eventListeners\);\]\]>](#)

See also

-
- [Button Size Configuration](#)
 - [Sticky Toolbar](#)