

Content Filter

HTML TAG

If you set "editor.contentFilter.allowIframe" value to **false**, insertion of <iframe> tag by the user is restricted and the tag is automatically removed.

synapeditor.config.js

```
{
    'editor.contentFilter.allowIframe': false
}
```

If you set "editor.contentFilter.allowEmbed" value to **false**, insertion of <embed> tag by the user is restricted and the tag is automatically removed.

synapeditor.config.js

```
{
    'editor.contentFilter.allowEmbed': false
}
```

If you set "editor.contentFilter.allowObject" value to **false**, insertion of <object> tag by the user is restricted and the tag is automatically removed.

synapeditor.config.js

```
{
    'editor.contentFilter.allowObject': false
}
```

RELEASE 2.7.0 OR ABOVE If you set 'editor.contentFilter.allowLink' value to **false**, insertion of <link> tag by the user is restricted and the tag is automatically removed.

synapeditor.config.js

```
{
    'editor.contentFilter.allowLink': false
}
```

HTML SCRIPT & EVENT ATTRIBUTES



Caution

You cannot be held responsible for security issues arising from the use of the option.

If you set "editor.contentFilter.allowIscript" value to **false**, insertion of <script> tag by the user is restricted and the tag is automatically removed.

synapeditor.config.js

```
{
    'editor.contentFilter.allowScript': false
}
```

RELEASE 2.7.0 OR ABOVE If you set 'editor.contentFilter.allowEventAttribute' value to **true**, you can use event attributes (onclick, onload, onchange,) in HTML tags.

synapeditor.config.js

```
{
    'editor.contentFilter.allowEventAttribute': false
}
```