

Div

Div extends [Element](#)

The API model used to edit the DIV.

Methods

- [append\(html\)](#)
- [prepend\(html\)](#)
- [remove\(\)](#)
- [replace\(html\)](#)
- [setHTML\(html\)](#)
- [setText\(text\)](#)
- [setHeight\(value\[, unit = 'px'\]\)](#)
- [setWidth\(value\[, unit = 'px'\]\)](#)

append(html)

- html <String> HTML String.

The HTML String passed as an argument is added as a child at the back of the Element.

```
var div = editor.getAPIModelById('id');
div.append( '<span>TEXT</span>' );
```

prepend(html)

- html <String> HTML String to append.

The HTML String passed as an argument is added as a child to the front of the Element.

```
var div = editor.getAPIModelById('id');
div.prepend( '<span>TEXT</span>' );
```

remove()

Removes the Element itself.

IF ALL ELEMENTS ARE REMOVED, ERRORS MAY OCCUR IN SUBSEQUENT OPERATIONS.

```
var div = editor.getAPIModelById('id');
div.remove();
```

replace(html)

- html <String> The HTML String to replace.

Replaces the element itself with the HTML String passed as an argument.

```
var div = editor.getAPIModelById('id');
div.replace( '<div><p><span>Div replaced</span></p></div>' );
```

setHTML(html)

- html <String> HTML string to set inside DIV

Set the HTML string value passed as an argument to the internal HTML of the DIV.

```
var div = editor.getAPIModelById('id');
div.setHTML('<p><span>Add HTML. All previously entered information will be erased.</span></p>');
```

setText(text)

- text <String> Text string to set inside DIV

Set the text string value passed as an argument to the internal Text of the DIV.

```
var div = editor.getAPIModelById('id');
div.setText('Sample Text.');
```

setHeight(value[, unit = 'px'])

- value<Number> Height
- unit <String> Unit of height ('px', '%'). default 'px'.

Sets the height of the DIV.

```
var div = editor.getAPIModelById('id');
div.setHeight(200);
div.setHeight(200, 'px');
```

setWidth(value[, unit = 'px'])

- value<Number> Width
- unit <String> Unit of width ('px', '%'). default 'px'.

Sets the width of the DIV.

```
var div = editor.getAPIModelById('id');
div.setWidth(400);
div.setWidth(100, '%');
```