

# Element

Parent Class of all APIModel Elements. It provides the necessary properties and methods to manipulate the model.

- **Properties**
  - id
  - type
  - index
  - parent
  - nextSibling
  - previousSibling
  - firstChild
  - lastChild
  - children
  - siblings
  - nextSiblings
  - previousSiblings
  - options
  - skipUndoRedo
  - skipRendering
- **Methods**
  - closest(condition)
  - setId(id)
  - setStyle(cssText)
  - empty()

## Properties

### **id**

- <String>

Element ID

### **type**

- <String>

Element Type

### **index**

- <Number>

Current index

### **parent**

- <Element>

Parent APIModel

### **nextSibling**

- <Element>

Next Sibling APIModel

### **previousSibling**

- <Element>

Previous Sibling APIModel

### **firstChild**

- <Element>

First child APIModel

## **lastChild**

- <Element>

Last child APIModel

## **children**

- <Element[]>

Child APIModels (array)

## **siblings**

- <Element[]>

Sibling APIModels (array)

## **nextSiblings**

- <Element[]>

Next sibling APIModels (array)

## **previousSiblings**

- <Element[]>

Previous sibling APIModels (array)

## **options**

- <Object>
  - skipUndoRedo<Boolean>
  - skipRendering<Boolean>

Options object

## **skipUndoRedo**

- <Boolean>

undo, redo

## **skipRendering**

- <Boolean>

Whether to omit undo and redo when editing

## Methods

### **closest(condition)**

- condition <Function> function to test each element
  - The first argument of the condition function: Current API model Element
  - return of condition function: <Boolean>
- Returns: <Element> API model Element

Returns the API model that meets the criteria among the parent API models.

```
var run = editor.getAPIModelById('id');
var body = run.closest(function(apiModel){
    return apiModel.type === 'Body';
});
```

## **setId(id)**

- id <String> ID value to set in the model

Set ID.

```
var element = editor.getAPIModelById('id');
element.setId('test setId');
```

## **setStyle(cssText)**

- cssText <String> A string in the style attribute in the HTML DOM

Set style.

```
var element = editor.getAPIModelById('id');
element.setStyle('background-color: red;')
```

## **empty()**

Remove all child elements.

**IF ALL CHILD ELEMENTS ARE REMOVED, AN ERROR MAY OCCUR IN SUBSEQUENT OPERATIONS.**

```
var element = editor.getAPIModelById('id');
element.empty();
```