

IFrame

IFrame extends [Element](#)

The API model used to edit the IFrame.

Methods

- [remove\(\)](#)
- [replace\(html\)](#)
- [setHeight\(value\[, unit = 'px'\]\)](#)
- [setWidth\(value\[, unit = 'px'\]\)](#)

remove()

Removes the Element itself.

IF ALL ELEMENTS ARE REMOVED, ERRORS MAY OCCUR IN SUBSEQUENT OPERATIONS.

```
var iframe = editor.getAPIModelById('id');
iframe.remove();
```

replace(html)

- `html <String>` The HTML String to replace.

Replaces the element itself with the HTML String passed as an argument.

```
var iframe = editor.getAPIModelById('id');
iframe.replace('<span>Iframe replaced</span>');
```

setHeight(value[, unit = 'px'])

- `value<Number>` Height
- `unit <String>` Unit of height ('px', '%'). default 'px'.

Sets the height of the IFrame.

```
var iframe = editor.getAPIModelById('id');
iframe.setHeight(200);
iframe.setHeight(200, 'px');
```

setWidth(value[, unit = 'px'])

- `value<Number>` Width
- `unit <String>` Unit of width ('px', '%'). default 'px'.

Sets the width of the IFrame.

```
var iframe = editor.getAPIModelById('id');
iframe.setWidth(400);
iframe.setWidth(100, '%');
```