

- ```
graph TD
 UI[UI] --> config_file[config file]
 UI --> Textarea[Textarea]
 config_file --> dark_gray[dark-gray]
 config_file --> Iframe_mode[Iframe mode]
 Iframe_mode --> Document_mode[Document mode]
 Iframe_mode --> Synap_Editor_Holistic_Rich_Text_Editor_1[Synap EditorHolistic Rich Text Editor]
 Document_mode --> Synap_Editor_Holistic_Rich_Text_Editor_2[Synap EditorHolistic Rich Text Editor]
 Document_mode --> Synap_Editor_Holistic_Rich_Text_Editor_3[Synap EditorHolistic Rich Text Editor]
 Synap_Editor_Holistic_Rich_Text_Editor_1 --> Synap_Editor_Holistic_Rich_Text_Editor_4[Synap EditorHolistic Rich Text Editor]
 Synap_Editor_Holistic_Rich_Text_Editor_1 --> Synap_Editor_Holistic_Rich_Text_Editor_5[Synap EditorHolistic Rich Text Editor]
```

The diagram illustrates the structure of a Synap Editor project. The root node is 'UI', which branches into 'config file' and 'Textarea'. 'config file' further branches into 'dark-gray' and 'Iframe mode'. 'Iframe mode' branches into 'Document mode' and 'Synap EditorHolistic Rich Text Editor'. 'Document mode' branches into 'Synap EditorHolistic Rich Text Editor' and 'Synap EditorHolistic Rich Text Editor'. 'Synap EditorHolistic Rich Text Editor' branches into 'Synap EditorHolistic Rich Text Editor' and 'Synap EditorHolistic Rich Text Editor'.



- - - - *Model Element Type*
  - - - -
  - - - *VoiceOver*
      - - /
        - /
        - 
        - 
        - 
        - 
        - 
        -
  - - - - 
        -
  - - - -
  - - - - - *Element*
          - *Element*