

- [API](#)
- [SynapEditor.addPlugin\(pluginName, pluginGenerator\)](#)
- ['Hello World~'](#)
 - [PluginGenerator](#)
 -
 -
 -

API

SynapEditor.addPlugin(pluginName, pluginGenerator)

.

Params:

Name	Type	Description
pluginName	string	.
pluginGenerator	function	.

Example:

```
var pluginName = "pluginName";
var pluginGenerator = function (editor) {
    // .
    return {
        //...
    };
};
SynapEditor.addPlugin(pluginName, pluginGenerator); // , .

...
new SynapEditor(editorId, synapEditorconfig, ...); //
```

--	--	--	--

buttonDef	Array Object	. • : buttonDef	Array <pre>buttonDef: [{ name: ' ', // 2 . UI label: ' ', iconSVG: ' SVG ', onClickFunc: function () { // } }, ...]</pre> Object <pre>buttonDef: { name: ' ', // 1 . UI , label: ' ', iconSVG: ' SVG ', onClickFunc: function () { // } }</pre>
shortcutDef	Array Object	. • : shortcutDef	Array <pre>shortcutDef: [{ key: { windows: ' ', mac: ' ' }, option: { action: ' ', params: [' 1', ...], focusIme: true or false // } }, ...]</pre> Object <pre>shortcutDef: { key: { windows: ' ', mac: ' ' }, option: { action: ' ', params: [' 1', ...], focusIme: true or false // } }</pre>
dialogs	CustomDialog[]	2.9.0 . • : dialogs	

'Hello World~'

PluginGenerator

./plugins/helloWorldInserter.js

```
var pluginName = "helloWorldInserter";
var pluginGenerator = function(editor) {
  return {
    buttonDef: {
      label: 'Hello World Inserter',
      iconSVG: `
```

./index.html

```
<!-- synapeditor plugin -->
<script type="text/javascript" src="./plugins/helloWorldInserter.js"></script>
```

./synapeditor.config.js

```
"editor.toolbar": ["bold", "italic", "underline", "strike", "helloWorldInserter"] //helloWorldInserter .
```

B *I* U ~~S~~ HW

|

I