


2.15.0



```
<!-- SynapEditor          include  -->  
  
<script src="formEditor.min.js url"></script>  
<link rel="stylesheet" href="formEditor.min.css url">
```



synapeditor.config.js


```
//...
'editor.toolbar': [
  //
  'formEditor_text', 'formEditor_textarea', 'formEditor_select',
  'formEditor_radio', 'formEditor_checkbox', 'formEditor_button',
  'formEditor_hidden', 'formEditor_datalist', 'formEditor_fieldset', 'formEditor_form'
  //...
],
// ...
```

KEY	ICON	
formEditor_text		.(<input type="text">)
formEditor_textarea		.(<textarea>)
formEditor_select		.(<select>)
formEditor_radio		.(<input type="radio">)
formEditor_checkbox		.(<input type="checkbox">)
formEditor_button		.(<button>)
formEditor_hidden		.(<input type="hidden">)
formEditor_datalist		.(<input list="">)
formEditor_fieldset		.(<fieldset>)
formEditor_form		.(<form>)

KEY	ICON	
formEditor_textProperties		.
formEditor_textareaProperties		.
formEditor_selectProperties		.
formEditor_radioProperties		.
formEditor_checkboxProperties		.
formEditor_buttonProperties		.

formEditor_hiddenProperties		.
formEditor_datalistProperties		.
formEditor_datalistInputProperties		.
formEditor_labelProperties		.
formEditor_fieldsetProperties		.
formEditor_formProperties		.

KEY	ICON	
formEditor_bold	B	".
formEditor_italic	<i>I</i>	".
formEditor_underline	<u>U</u>	".
formEditor_strike	S	".
formEditor_fill		".
formEditor_borderColor		".
formEditor_lineThickness		".
formEditor_lineStyle		".
formEditor_fontFamily	T	".
formEditor_fontSize	T	".
formEditor_fontColor		".
formEditor_align		".
formEditor_delete		.



synapeditor.config.js

```
//...
'formEditor.config': {
  'balloon': {
    // : [      ]
    'formEditor_text': ['formEditor_textProperties', 'formEditor_delete'],
    'formEditor_textarea': ['formEditor_textareaProperties', 'formEditor_delete'],
    'formEditor_select': ['formEditor_selectProperties', 'formEditor_delete'],
    'formEditor_radio': ['formEditor_radioProperties', 'formEditor_delete'],
    'formEditor_checkbox': ['formEditor_checkboxProperties', 'formEditor_delete'],
    'formEditor_button': ['formEditor_buttonProperties', 'formEditor_delete'],
    'formEditor_hidden': ['formEditor_hiddenProperties', 'formEditor_delete'],
    'formEditor_datalist': ['formEditor_datalistProperties', 'formEditor_delete'],
    'formEditor_datalistInput': ['formEditor_datalistInputProperties', 'formEditor_delete'],
    'formEditor_label': ['formEditor_labelProperties', 'formEditor_delete'],
    'formEditor_fieldset': ['formEditor_fieldsetProperties', 'formEditor_delete'],
    'formEditor_form': ['formEditor_formProperties', 'formEditor_delete']
  }
},
// ...
```

BALLOON NAME	
formEditor_text	.
formEditor_textarea	.
formEditor_select	.
formEditor_radio	.
formEditor_checkbox	.
formEditor_button	.
formEditor_hidden	.
formEditor_datalist	.
formEditor_datalistInput	.
formEditor_label	.
formEditor_fieldset	.

formEditor_form

(: , , , , ,)

← **모든** ↻

이벤트

이벤트	함수	삭제
onclick	clickButton	-

ondblclick ▾

'editor.contentFilter.allowEventAttribute' true .(:)



editor.contentFilter.allowEventAttribute: false ()	editor.contentFilter.allowEventAttribute: true
<p>← 모든</p> <p>속성</p> <p>유형 <input type="text" value="text"/> ▾ Placeholder <input type="text"/></p> <p>Name <input type="text"/> Value <input type="text"/></p> <p>Id <input type="text"/> Class <input type="text"/></p> <p>사이즈 <input type="text"/> ▾ 최대글자수 <input type="text"/> ▾</p> <p><input type="checkbox"/> 필수 항목 <input type="checkbox"/> 읽기전용 <input type="checkbox"/> 비활성화</p>	<p>← 모든 ↻</p> <p>속성</p> <p>유형 <input type="text" value="text"/> ▾ Placeholder <input type="text"/></p> <p>Name <input type="text"/> Value <input type="text"/></p> <p>Id <input type="text"/> Class <input type="text"/></p> <p>사이즈 <input type="text"/> ▾ 최대글자수 <input type="text"/> ▾</p> <p><input type="checkbox"/> 필수 항목 <input type="checkbox"/> 읽기전용 <input type="checkbox"/> 비활성화</p>

ACTION

insertFormRunElement

parameters

Name	Type	Description
type	string	<ul style="list-style-type: none">• text• number• email• password• hidden• radio• checkbox• textarea• select• button• submit• reset• label• datalist• datalistInput

```
editor.execCommand('insertFormRunElement', 'text'); // <input type="text">
editor.execCommand('insertFormRunElement', 'number'); // <input type="number">
editor.execCommand('insertFormRunElement', 'email'); // <input type="email">
editor.execCommand('insertFormRunElement', 'password'); // <input type="password">
editor.execCommand('insertFormRunElement', 'hidden'); // <input type="hidden">
editor.execCommand('insertFormRunElement', 'radio'); // <input type="radio">
editor.execCommand('insertFormRunElement', 'checkbox'); // <input type="checkbox">
editor.execCommand('insertFormRunElement', 'textarea'); // <textarea>
editor.execCommand('insertFormRunElement', 'select'); // <select>
editor.execCommand('insertFormRunElement', 'button'); // <button type="button">
editor.execCommand('insertFormRunElement', 'submit'); // <button type="submit">
editor.execCommand('insertFormRunElement', 'reset'); // <button type="reset">
editor.execCommand('insertFormRunElement', 'label'); // <label>
editor.execCommand('insertFormRunElement', 'datalist'); // <datalist>
editor.execCommand('insertFormRunElement', 'datalistInput'); // <input list="">
```

insertFormBlockElement

parameters

Name	Type	Description
type	string	<ul style="list-style-type: none">• form• fieldset

```
editor.execCommand('insertFormBlockElement', 'form'); // <form>  
editor.execCommand('insertFormBlockElement', 'fieldset'); // <fieldset>
```