

afterUploadVideo

RELEASE 2.2.0 OR ABOVE

This event occurs after a video is uploaded.

Adding Event

Using API

```
var editorId = 'synapEditor';
var editorConfig = {};
var html = '';
var editor = new SynapEditor(editorId, editorConfig, html);

editor.setEventListerner('afterUploadVideo', function (e) {
});
```

Function

```
var editorId = 'synapEditor';
var editorConfig = {};
var html = '';

function SynapEditorAfterUploadVideo(e) {
}

new SynapEditor(editorId, editorConfig, html);
```

When the Editor is initialized

```
var editorId = 'synapEditor';
var editorConfig = {};
var html = '';
var eventListeners = {
    afterUploadVideo: function (e) {
    }
};

new SynapEditor(editorId, editorConfig, html, eventListeners);
```

Object Delivered through Functions

In the form of parameter e delivered through functions

```

e

// release 2.2.0
{
    editor: SynapEditor,
    eventType: 'afterUploadVideo',
    cancelable: false,
    returnValue: null,
    path: '/upload/path/filename.mp4', // The upload path.
    elementId: 'se-123456-abcdefg-7890' // HTML Element Id (wapper)
}
// release 2.2.1 or above
{
    editor: SynapEditor,
    eventType: 'afterUploadVideo',
    cancelable: false,
    returnValue: null,
    fileType: 'video', // [2.2.1] File type
    path: '/upload/path/filename.mp4',
    elementId: 'se-123456-abcdefg-7890'
}
// release 2.10.0 or above
{
    editor: SynapEditor,
    eventType: 'afterUploadVideo',
    cancelable: false,
    returnValue: null,
    fileType: 'video',
    path: '/upload/path/filename.mp4',
    responseData: {}, // [2.10.0] complete response data
    elementId: 'se-123456-abcdefg-7890'
}
// release 2.15.0 or above
{
    editor: SynapEditor,
    eventType: 'afterUploadVideo',
    cancelable: false,
    returnValue: null,
    fileType: 'video',
    path: '/upload/path/filename.mp4',
    responseData: {},
    elementId: 'se-123456-abcdefg-7890',
    error: undefined // [2.15.0] Error information when upload fails
}

```

Video upload failed

RELEASE 2.15.0 OR ABOVE

Starting with the 2.15.0 release, the `afterUploadVideo` event is also raised when an upload fails.

An Error object is passed to the `error` property of the object that is passed to the `afterUploadVideo` event when upload fails.

Example of removing failed video when upload fails

```

editor.setEventListener('afterUploadVideo', function (e) {
    if (e.error && e.error.status === 500) {
        e.editor.execCommand('showDialog', 'alert', 'Video upload failed.');
        var video = e.editor.getAPIModelById(e.elementId);
        video.remove();
    }
});

```